

# NDVK

NORWEGIAN DOOR-AND  
WINDOW-CONTROL

CERTIFIED

# Certificate

It's confirm that

**UAB P. Varkojis ir Kompanija, Lithuania**

Fulfil the requirements according to

**NORWEGIAN DOOR- AND WINDOW CONTROL**

## *NDVK-Rules*

The certificate include all production of windows and doors,  
and include the following products:

**Window types:**

- Scandinavian top/side hung window
- Scandinavian top-swing window

**Door types:**

- External door

**Oslo date: 02.01.2015**



**NDVK chairman**

**Date of issue first time: 31.01.2012**

**Valid thru: 31.12.2015**

**Certificate NO.: 056-E**

# NDVK

NORWEGIAN DOOR-AND  
WINDOW-CONTROL

CERTIFIED

Quality management in the production of windows and door fulfils the requirement to **NDVK Rules:**

**Requirements for doors and windows  
and  
Rules for certificate and inspection.**

The product at page 1 fulfil the requirement according to:

Characteristic	Classification/value										NDVK req.
<b>Air permeability</b>											4
Class	1		2			3		4			
Max. test pressure (Pa)	150		300			600		600			
<b>Watertightness</b>											9A* 7A or 7B**
Class - Non-shielded (A)	1 A	2 A	3 A	4 A	5 A	6 A	7 A	8 A	9 A	E	
Test pressure (Pa)	(0)	(50)	(100)	(150)	(200)	(250)	(300)	(450)	(600)	(>600)	
Class - Shielded (B)	1 B	2 B	3 B	4 B	5 B	6 B	7 B				
Test pressure (Pa)	(0)	(50)	(100)	(150)	(200)	(250)	(300)				

\* Requirement for windows and balcony-doors

\*\* Requirement for Pedestrian doors